



OF THE

ATA 181

IDENTIFICATION NUMBER

COMMANDED BY

Lieutenant Robert F. BARIL, U. S. N.

Attached to { _____ Division,
 _____ Squadron,
 _____ Flotilla,
 _____ Fleet,
 _____ FOURTH Naval District.

Commencing +1 0000, 1 September, 19⁶³
(zone time and date)

at Port Royal Bay, Bermuda, B.W.I.
(location)

and ending +5 2400, 30 September, 19 ⁶³
(zone time and date)

at Enroute Portsmouth, Virginia from Philadelphia, Penna.
(location)

B-63074

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Accokeek (ATA-131)

ZONE DESCRIPTION

+4

DATE

(Day)

(Date)

(Month)

19 *63*

AT/PASSAGE FROM

Buay C-1, Fort Royal Bay, Bermuda

TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	040	3	10	scf	30.02	82	81	4	1600	Cu			
02	040	3	10	scf	30.00	82	82	4	1600	Cu			
03	040	3	10	scf	30.00	80	80	4	1600	Cu			
04	315	3	10	scf	30.00	80	80	4	1600	Cu			
05	315	3	10	scf	30.00	80	79	4	1600	Cu			
06	230	3	10	scf	30.00	79	78	4	1600	Cu			
07	330	3	10	scf	30.00	79	78	4	1600	Cu			
08	260	3	10	scf	30.02	82	80	4	1600	Cu			
09	260	4	10	scf	30.04	82	80	4	1600	Cu			
10	260	4	10	scf	30.04	83	82	4	1600	Cu			
11	260	4	10	scf	30.04	83	82	4	1600	Cu			
12	260	4	10	BKN	30.04	83	82	7	1600	Cu			
13	240	3	10	BKN	30.04	83	82	7	1600	Cu			
14	240	3	10	scf	30.04	83	82	4	1600	Cu			
15	240	3	10	scf	30.04	83	82	4	1600	Cu			
16	240	3	16	BKN	30.03	80	86	6	1600	Cu			
17	170	4	10	scf	30.03	88	85	5	1600	Cu	86	170	3
18	170	5	10	scf	30.02	85	82	3	1600	Cu	85	170	2
19	170	5	10	scf	30.02	84	83	3	1600	Cu	85	170	2
20	170	5	10	scf	30.04	83	82	4	1600	Cu	85	170	2
21	170	6	10	scf	30.05	83	82	2	1600	Cu	85	170	2
22	180	3	10	scf	30.06	82	81	2	1600	Cu	85	170	1
23	180	5	10	scf	30.06	82	81	2	1600	Cu	85	170	1
24	190	5	10	scf	30.06	82	81	2	1600	Cu	85	190	1

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
68

FUEL CONSUMED 0000-2400
309

REMARKS

0000-0400 Meand stem to buoy C-1, Fort Royal Bay, Bermuda with fifty foot g. buel rope to the buoy. #1 and #2 auxiliary generators on the line. Ships present include various units of the Atlantic Fleet, Naval yard and harbor craft. Material condition yoke is set. SOPA is CO U.S.S. Wilkinson (DL5)

DE Brown ENC

0400-0800 Meand as before

DE Brown ENC

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (ATA181) Sunday 1 September, 1963
(Day) (Date) (Month)

0800-1200 Manned as before. 1000 Made daily inspection of magazines, conditions normal.

A. S. L'Orange CWO U.S.N.

1200-1600 Manned as before. 1435 Mustered the crew on station, absentees, none. 1450 Commenced making preparations for getting underway. 1510 Stationed the special sea and anchor detail. 1520 Underway in accordance with CEFOP order #4-63, maneuvering to clear the buoy, 00D commencing, Captain on the bridge, commenced steering various courses at various speeds, conforming to channels and ranges of the Royal Bay and channels leading into same. 1548 Passed buoy #34 abeam to starboard, range 35 yds.

A. S. L'Orange CWO U.S.N.

1600-2000 Steaming as before. 1643 Passed buoy #16 abeam to starboard, range 40 yds. 1654 Passed buoy #1 abeam to port, range 45 yds. 1656 Secured #1 main engine. 1701 Set course 141° speed 10.2 knots enroute Ogees Island, Bermuda. 1712 C 230°

John M. Nolan, Jr. Enr. U.S.N.R.

2000-2400 Steaming as before. 2126 C 235° 2143 C 5.0 knots, arrived in the vicinity of Ogees Island and commenced steering various courses at various speeds conforming to Project criteria.

J. J. Tokut, Ljy. U.S.N.

APPROVED:

EXAMINED:

U.S.N. COMMANDING

A. S. L'Orange CWO U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET - TYPE B

USS

Accatol (ATA-81)

ZONE DESCRIPTION

74

DATE

Monday 2 September 1963

AT/PASSAGE FROM

Vicinity of Azores Island

TO

Bermuda

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	230	4	10	SC	30.06	82	82	5	1600	CB	85	210	1
02	230	6	10	BKN	30.06	82	82	6	1600	CB	85	210	1
03	240	6	10	BKN	30.04	83	82	7	1600	CB	85	200	1
04	240	5	10	BKN	30.03	82	82	7	1600	CB	85	210	1
05	240	5	10	BKN	30.04	83	82	6	1600	CB	85	210	1
06	240	5	10	BKN	30.06	83	82	6	1600	CB	85	220	1
07	240	5	10	BKN	30.08	81	80	9	1600	CB	85	220	2
08	190	4	10	BKN	30.08	82	80	9	1600	CB	85	190	2
09	190	4	10	BKN	30.12	81	80	9	1600	CB	85	190	2
10	190	4	10	BKN	30.15	81	80	9	1600	CB	85	190	2
11	190	4	10	BKN	30.15	80	79	10	1600	CB	85	190	2
12	220	6	9	R	30.12	82	81	10	1600	CB	85	210	2
13	110	6	9	OVC	30.12	83	81	10	1600	CB	85	120	2
14	070	6	10	OVC	30.12	84	82	10	1600	CB	85	090	2
15	070	6	10	OVC	30.12	84	82	10	1600	AS	85	090	2
16	170	8	10	OVC	30.12	83	81	10	1600	AS	85	170	3
17	170	8	10	OVC	30.13	81	80	10	1600	AS	85	170	3
18	170	8	10	OVC	30.11	81	80	10	1600	AS	85	170	3
19	170	8	10	OVC	30.11	81	80	10	1600	AS	85	170	3
20	110	8	10	BKN	30.12	81	80	8	1600	AS	85	120	2
21	140	8	10	BKN	30.13	82	80	8	1600	SC	85	140	2
22	140	8	10	BKN	30.13	82	80	7	6500	AC	85	140	2
23	140	8	10	BKN	30.13	82	80	7	6500	AC	85	140	2
24	110	6	10	BKN	30.13	82	81	9	6500	AC	85	130	1

POSITION	ZONE	TIME
0800		
L <i>31°58'N</i>	BY <i>3</i>	
λ <i>65°12'W</i>	BY <i>3</i>	
1200		
L <i>31°58'N</i>	BY <i>3</i>	
λ <i>65°12'W</i>	BY <i>3</i>	
2000		
L <i>31°58'N</i>	BY <i>3</i>	
λ <i>65°11'W</i>	BY <i>3</i>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400
51

FUEL CONSUMED
0000-2400
10+590

REMARKS

0000-0400 Steaming independently in the vicinity of Azores Island in accordance with CFSF orders #4-63. Steaming remains constant at various speeds conforming to Propit Determin. #2 main engine and #1 and #2 auxiliary generators on the line. Weather condition good at 100.

W. L. Davenport, OMC, USN

0400-0800 Steaming as before, engaged on Propit Determin

W. L. Orange CWO USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

W. L. Orange CWO

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

*Accakuk (ATA 181)**Monday 2 September 1963*
(Day) (Date) (Month)*0800-1200 Steaming as before, engaged on Target Asteroid.
1000 Made daily inspection of magazine, condition normal.**John M. Nolan, Jr. Ensign U.S.N.R.**1200-1600 Steaming as before, engaged on Target Asteroid.**J. J. Lohr, Jr. Ltjg. USN.**1600-2000 Steaming as before, engaged on Target Asteroid.**W. L. Lauenfart, QMC3, USN**2000-2400 Steaming as before, engaged on Target Asteroid.
2038 Secured from Target Asteroid 2054 Set Course
050° 2102 10047° 2335 10 050° 45 5.0 knots**A. B. Lorange CWO USN*

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Acacock (ATA-81) ZONE DESCRIPTION +4 DATE Tuesday 3 ^{September} 1967
AT/PASSAGE FROM Vicinity of Argus Island, Bermuda

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	110	6	10	BKN	30.12	82	81	8	1600	CB			
02	110	6	10	BKN	30.11	81	81	8	1600	CB			
03	120	6	10	BKN	30.10	81	81	9	1600	CB			
04	120	5	10	R	30.10	78	78	10	1600	AS			
05	120	8	5	R	30.10	78	78	10	1600	AS			
06	120	5	10	BKN	30.10	79	78	9	1600	CB			
07	120	5	10	BKN	30.11	80	79	9	1600	CB			
08	180	7	10	BKN	30.14	80	79	9	1600	SC			
09	180	5	10	BKN	30.16	83	78	9	1600	SC			
10	180	5	10	BKN	30.17	84	79	9	1600	SC			
11	190	6	10	BKN	30.17	84	81	9	1600	SC			
12	195	6	10	R	30.16	82	82	10	1600	SC			
13	190	6	10	R	30.15	74	73	10	1600	AS			
14	090	5	10	BKN	30.13	74	73	9	1600	SC			
15	090	5	10	BKN	30.11	75	74	9	1600	SC			
16	150	5	10	BKN	30.10	78	77	9	6500	AC			
17	150	4	10	BKN	30.09	77	76	8	6500	AC			
18	180	4	10	BKN	30.09	75	74	7	6500	AC			
19	180	4	10	BKN	30.09	75	74	7	6500	AC			
20	185	4	10	BKN	30.11	76	76	7	6500	AC			
21	185	4	10	BKN	30.11	77	77	7	6500	AC			
22	185	4	10	BKN	30.11	79	78	6	6500	AC			
23	185	4	10	SC	30.11	79	78	5	6500	AC			
24	195	5	10	SC	30.11	79	78	5	6500	AC			

POSITION ZONE TIME

0800
L _____ BY _____
λ _____ BY _____

1200
L _____ BY _____
λ _____ BY _____

2000
L _____ BY _____
λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)

SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
57

FUEL CONSUMED
0000-2400
334

REMARKS

0000-0400 Steaming as before, enroute from Argus Island to Fort Royal Bay, Bermuda. Steaming independently.
On passage 0507 speed 5.0 knots. #2 main engine and #1 and #2 auxiliary generator on the line.
Material condition good as at 0336 0/3 6.1 knots

John M. Nolan, Jr. Enr. U.S.N.R.

0400-0800 Steaming as before. 0407 0/0 0447 0/2 223° 0453 #1 main engine back on the line. 0458 0/0 050° 0517 0/3 351° 0524 Captain took the conn. 0525 Stationed the special sea and anchor details.
0535 0/0 295° 0544 0/0 290° 0547 passed "pit" buoy abeam to port. Range 20 yds. Commenced steering various courses at various speeds conforming to channels and bays and channels leading into Fort Royal Bay, Bermuda. 0558 passed buoy #6 abeam to port. Range 25 yds. 0645 passed buoy #34 abeam to port. Range 30 yds. 0653 passed buoy #104 abeam to port. Range 40 yds. (cont)

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accabuck (ATA 181)

Tuesday 3 September 62
(Day) (Date) (Month) , 20 62

(0400-0800 cont) 0713 Maneuvering making approach to assigned berthing, east side Tender pier, Naval Station, Bermuda. 0720 Moved east side Tender pier, Naval Base, Bermuda with standard mooring lines doubled. 0727 Secured the special sea & anchor details. 0729 Secured the special sea & anchor details.

J. J. Whit, Ltjg. USN.

0800-1200 Moved as before. 1000 Made daily inspection of magazines, conditions normal. 1100 Commenced making preparations for getting underway, sheathing berths. 1130 Stationed the special sea and anchor details. 1140 Underway for mooring buoy C-1, Port Royal Bay, Captain Cummings, Navigator on the bridge, maneuvering to clear the pier. 1145 Commenced steering away buoy C-1 at slow speed making approach to buoy C-1. 1150 Moved stern to buoy C-1, Port Royal Bay, Bermuda with fifty feet of heave rope to the buoy, secured sea & anchor details.

J. Holzinger, CWO

1200-1600 Moved as before.

J. Holzinger, CWO

1600-2000 Moved as before. 1630 Material Condition yellow.

J. Holzinger, CWO


2000-2400 Moved as before.

J. Holzinger, CWO

APPROVED:


U.S.N. COMMANDING

EXAMINED:


U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Acagluk (ATA-81)

ZONE DESCRIPTION

+4

DATE

Wednesday 4 September 63

(Day)

(Date)

(Month)

AT/PASSAGE FROM

Bay C-1, Port Royal Bay, Bermuda

TO

Bermuda

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	195	6	10	set	30.08	78	77	4	6500	Ac			
02	195	7	10	set	30.06	77	77	4	6500	Ac			
03	195	5	10	set	30.06	77	78	5	6500	Ac			
04	220	2	10	BKW	30.06	77	75	6	6500	Ac			
05	200	3	10	BKW	30.05	79	78	6	1600	Sc Cu			
06	200	3	10	BKW	30.04	81	79	6	1600	Cu	85		
07	200	3	10	BKW	30.03	83	82	6	1600	Cu	85		
08	220	5	10	BKW	30.05	84	83	6	1600	Cu	85	220	1
09	220	5	10	BKW	30.07	85	83	7	1600	Cu	85	220	2
10	230	7	10	BKW	30.08	85	84	7	1600	Cu	85	220	2
11	220	7	10	BKW	30.06	85	83	7	1600	Cu	85	220	2
12	270	7	10	BKW	30.05	84	81	7	1600	CB	85	220	1
13	-	-	10	set	30.05	85	82	5	1600	CB	84	-	-
14	-	-	10	set	30.03	84	82	5	1600	CB	84	-	-
15	-	-	10	set	30.02	83	81	5	1600	CB	84	-	-
16	295	5	10	set	30.02	83	80	5	1600	CB	84	-	-
17	295	5	10	set	30.01	82	80	5	1600	CB	84	-	-
18	295	6	10	set	30.00	82	80	5	1600	CB	84	-	-
19	295	5	10	set	30.00	81	80	3	1600	Cu	84	-	-
20	190	6	10	set	30.01	80	79	3	1600	Cu	84	160	1
21	190	6	10	set	30.01	79	79	3	1600	Cu	84	160	1
22	190	5	10	set	30.01	80	79	2	1600	Cu	84	160	1
23	190	5	10	set	30.02	80	79	2	1600	Cu	84	160	1
24	190	5	10	set	30.01	80	79	3	1600	Cu	84	160	1

POSITION ZONE TIME
0800 L *32°24'N* BY *3*
λ *64°36'W* BY *3*
1200 L *32°45'N* BY *3*
λ *65°12'W* BY *3*
2000 L *33°15'N* BY *2*
λ *66°25'W* BY *2*
LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
152

FUEL CONSUMED
0000-2400
1178

REMARKS

0000-0400 Moved stern to Bay C-1, Port Royal Bay, Bermuda with fifty feet of bull rope to the buoy. *Aid #2 auxiliary generators on the line. Ship's present includes various units by the Atlantic Shipyards local yard and harbor craft. Material Condition code is set. SOLA is CO 2155 Sulphur (55572)

J. Holzinger, CWO

0400-0800 Moved as before. 0410 Commenced making preparations for getting underway. 0425 Mustered the crew on station, abeam, more. 0435 Stationed the special sea and anchor detail. 0500 underway, enroute Little Creek, Virginia in accordance with CE5 of order #4-63, maneuvering, to take YFNB-12 in tow astern. Captain Conning Navigator on deck. 0510 Took YFNB-12 in tow astern, steering down channel at various speeds, conforming to channels and ranges of

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Cacabeek (ATA151) Wednesday 4 September 63
(Day) (Date) (Month)

(2400-0600 cont) channels leading clear of the Island of Lamunda.
 0520 Tow streamed to 100 fut. 0540 Passed buoy #108 abeam to port,
 range 40 yds. 0558 Passed buoy #37 abeam to port, range 30 yds. 0610
 Passed buoy #38 abeam to stb range 40 yds. 0718 Passed buoy #16
 abeam to stb range 35 yds. 0725 Passed buoy #12 abeam to stb range
 40 yds. 0735 Passed buoy #3 abeam to port, range 45 yds. 0739 Streamed
 tow to 600 fut. 0741 Passed "Spit" buoy abeam to stb, range 100 yds
 took departure for Little Creek, Va. and set course 060° and
 11.4 knots 0746 Streamed tow to 1000 fut. 0751 Secured the special sea
 and anchor details. 0756 C 0757

W.L. Davenport, OMC3, USN

0800-1200 Steaming as before. 0814 C 331° 0845 C 296°

John M. Nolan, Jr.

1200-1600 Steaming as before. 1415 C 5 10.8 knots.

J.J. Whit, Ltjg USN.

1600-2000 Steaming as before. 1620 Material condition yoke set.


W.L. Davenport, OMC3, USN


2000-2400 Steaming as before.

A.G. LOrange CWO USN

APPROVED:

EXAMINED:


 U.S.N. COMMANDING


 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Accokeek (ATA-181) ZONE DESCRIPTION +4 DATE Thursday 5 September, 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Port Royal Bay, Bermuda TO Little Creek, Virginia

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	270	5	10	sc	30.00	80	79	3	1600	CB	84	-	-
02	270	5	10	sc	29.98	80	79	4	1600	CB	84	-	-
03	270	6	10	BKN	29.97	79	78	6	1600	CB	84	530	1
04	250	5	10	sc	29.96	79	78	4	1600	CB	84	-	-
05	300	4	10	sc	29.96	79	78	2	1600	CB	84	-	-
06	300	4	10	sc	29.96	79	78	3	1600	CB	84	-	-
07	300	4	10	sc	29.96	79	78	2	20,000	ci	84	-	-
08	160	5	10	sc	30.00	84	83	3	20,000	ci	84	160	1
09	160	5	10	sc	30.00	83	83	2	20,000	ci	84	160	1
10	160	4	10	sc	30.01	84	83	3	20,000	ci	84	160	1
11	140	4	10	BKN	30.00	88	84	6	20,000	ci	84	150	1
12	150	7	10	BKN	29.97	90	85	6	20,000	ci	84	150	1
13	150	7	10	BKN	29.97	91	86	7	20,000	ci	84	150	1
14	150	8	10	BKN	29.96	91	86	6	6500	AC	84	150	1
15	150	7	10	BKN	29.96	90	85	6	1600	CB	84	150	1
16	150	8	10	BKN	29.94	84	86	7	6500	AC	84	160	1
17	180	10	9	OVC	29.94	83	84	10	6500	AC	84	160	1
18	180	12	8	OVC	29.88	82	80	10	1600	CB	84	160	2
19	200	12	9	OVC	29.87	81	80	10	1600	CB	84	175	2
20	170	15	10	OVC	29.88	81	80	10	1600	CB	84	170	3
21	170	18	6	BKN	29.87	81	80	9	1600	CB	84	170	4
22	170	12	10	BKN	29.87	81	80	8	1600	CB	84	170	3
23	170	15	8	BKN	29.85	81	80	7	1600	CB	84	170	3
24	170	15	8	BKN	29.85	81	80	7	1600	CB	84	170	3

POSITION ZONE TIME

0800 33°55'N BY 2

68°17'W BY 2

1200 34°06'N BY 2

68°52'W BY 2

2000 34°34'N BY 2

70°08'W BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

202.8

FUEL CONSUMED 0000-2400

1486

REMARKS

0000-0400 Steaming independently enroute Little Creek, Virginia with VF-1B-12 in tow astern at 1000 feet, in accordance with CESTF order #4-63. #1 and #2 main engines and #1 and #2 auxiliary generators in the line. On base course 296° speed 11 knots. Material condition code is sc.

John M. Nolan, Jr. Ensign, U.S.N.R.

0400-0800 Steaming as before. 0755 Mustard the Green in station, absolute, none.

J. J. Kohut, Ltjg, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (ATA-181) Thursday, 5 September, 1963
(Day) (Date) (Month)

0800-1200 Steaming as before. 1000 Made daily inspection of magazines, condition normal.

CL L Davenport, OMC, USN

1200-1600 Steaming as before.

CL/K L Orange, CMC, USN

1600-2000 Steaming as before. 1630 Material condition gage set

John M. Nolan, Jr. Enr. U.S.N.R.

2000-2400 Steaming as before.

J. J. Kohut, Ljg. USN.

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

CL/K L Orange, CMC, USN
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-68075

DECK LOG SHEET - TYPE B

USS Academy (ATA-151) ZONE DESCRIPTION TT DATE Friday 6 September, 1963
 (Day) (Date) (Month)
 AT/PASSAGE FROM Port Royal Bay, Bermuda Little Creek, Virginia

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	190	12	10	BLW	29.80	80	80	6	1600	CB	82	180	3
02	190	14	10	BLW	29.80	80	80	6	1600	CB	82	180	3
03	190	15	10	BLW	29.80	81	81	7	1600	CB	82	190	4-5
04	200	18	8	OVC	29.74	81	81	10	6500	AS	82	230	4-6
05	200	20	2	R	29.74	79	80	10	6500	AS	82	230	6-8
06	200	20	4	OVC	29.76	77	78	10	6500	AS	82	230	4-6
07	200	20	3	OVC	29.76	77	78	10	6500	AS	82	240	4-6
08	240	20	5	OVC	29.78	80	78	10	6500	AS	84	240	4-6
09	250	18	5	OVC	29.80	81	79	10	6500	AS	82	250	4-6
10	250	18	5	OVC	29.81	78	78	10	6500	AS	82	250	4-6
11	260	20	5	OVC	29.83	78	78	10	6500	AS	84	270	4-6
12	310	15	10	BLW	29.86	78	79	9	6500	AS	82	310	6
13	310	15	10	BLW	29.85	80	80	7	6500	AC	82	310	6
14	310	12	10	BLW	29.84	80	80	8	6500	AS	82	310	5
15	310	12	10	OVC	29.84	80	80	10	6500	AS	82	310	5
16	295	10	10	BLW	29.88	78	76	9	1600	CB	82	310	6
17	290	12	10	BLW	29.87	77	75	9	1600	CB	82	310	5
18	290	14	10	BLW	29.87	76	75	9	1600	CB	82	310	5
19	320	15	10	BLW	29.90	75	75	9	6500	AS	82	320	5
20	320	15	10	OVC	29.91	75	73	10	1600	CB	82	320	6
21	320	20	10	BLW	29.94	75	73	9	1600	CB	84	320	6
22	320	18	10	BLW	29.96	74	73	9	1600	CB	84	320	6
23	320	15	10	BLW	29.98	74	74	9	1600	CB	85	320	6
24	000	12	10	OVC	29.99	74	74	10	6500	NS	82	000	6

POSITION	ZONE	TIME
0800		
L <u>35°17'N</u>	BY <u>2</u>	
λ <u>71°44'W</u>	BY <u>2</u>	
1200		
L <u>35°25'N</u>	BY <u>2</u>	
λ <u>72°13'W</u>	BY <u>2</u>	
2000		
L <u>35°50'N</u>	BY <u>2</u>	
λ <u>73°17'W</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
 0000-2400

169

FUEL CONSUMED
 0000-2400

1492

REMARKS

0000-0400 Steaming independently enroute Little Creek Va. with VFNB-14 in tow astern at 1000 feet in accordance with CEFB orders #4-63. #1 and #2 main engines and #1 and #2 auxiliary generators on the line. On base course 296°, speed 11 knots. Material condition 2/4 is set.

W. L. Davenport, OMC, USN

0400-0800 Steaming as before. 0410 Steamed too to 1500 feet. 0755 Mustard the crew on station, absentees, were

W. L. Davenport, OMC, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

*Academy (ATA181)**Friday 6 September 1963*
(Day) (Date) (Month)*0800-1200 Steaming as before. 1000 Made daily inspection of
main engine. Conditions normal, made generally test of
flooding and sprinkling system, test satisfactory.**John M. Nolan, Jr. E.M. U.S.N.R.**1200-1600 Steaming as before.**J. J. Kokut, Ltjg. USN**1600-2000 Steaming as before. 1630 Material conditions
checked.**W. L. Davenport, QMC, USN**2000-2400 Steaming as before. 2220 Streamed tow to 1700
ft. 2230 to 290°**A. B. Lorange, CWO USN*

APPROVED:

EXAMINED:

[Signature]
U.S.N. COMMANDING*A. B. Lorange, CWO* U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET - TYPE B

USS

Academy (ATM)

ZONE DESCRIPTION

74

DATE

Saturday 7 September 1963

AT/PASSAGE FROM

Pat Hugel Bay, Honduras

TO

Little Creek, Va.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	12	10	OVC	29.99	73	73	10	6500	NS	83	000	6
02	000	10	10	OVC	29.99	72	72	8	20,000	CI	82	000	5
03	000	10	10	OVC	30.00	71	71	7	20,000	CI	82	000	4
04	000	8	10	OVC	30.00	72	71	7	20,000	CI	79	020	3
05	000	7	9	OVC	29.99	71	71	8	20,000	CI	79	020	3
06	330	6	5	OVC	30.03	71	71	9	20,000	CI	79	000	3
07	320	6	5	OVC	30.03	70	70	10	6500	AS	78	000	2
08	050	5	5	OVC	30.04	71	70	10	6500	AS	75	050	1
09	050	5	10	OVC	30.07	73	71	10	6500	AS	75	060	1
10	060	5	10	OVC	30.07	74	72	10	6500	AS	75	060	1
11	060	8	10	OVC	30.08	75	74	—	—	—	75	060	1
12	060	7	10	SC	30.09	75	75	2	1600	CU	75	060	1
13	060	7	10	SC	30.06	76	75	2	1600	CU	75	060	1
14	060	7	10	SC	30.04	76	75	2	1600	CU	75	060	1
15	080	7	7	SC	30.04	75	74	—	—	—	74	080	1
16	050	9	8	H	30.05	74	74	—	—	—	74	070	1
17	060	11	8	H	30.05	74	74	—	—	—	74	060	2
18	080	12	5	SC	30.04	71	70	2	20,000	CI	74	050	2
19	080	12	4	SC	30.04	70	70	4	20,000	CI	74	050	2
20	080	10	5	SC	30.06	70	69	3	20,000	CI	74	060	2
21	080	10	5	SC	30.06	70	69	2	20,000	CI	74	060	2
22	090	10	5	SC	30.07	70	69	2	20,000	CI	73	080	1
23	090	10	10	SC	30.07	70	69	1	20,000	CI	73	080	1
24	360	10	10	CU	30.06	69	68	—	—	—	73	300	1

POSITION	ZONE	TIME
0800		
L <i>36°28'N</i>	BY <i>2</i>	
λ <i>75°01'W</i>	BY <i>2</i>	
1200		
L <i>36°52'N</i>	BY <i>2</i>	
λ <i>75°51.5'W</i>	BY <i>2</i>	
2000		
L <i>39°44'N</i>	BY <i>2</i>	
λ <i>75°01'W</i>	BY <i>2</i>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

260.6

FUEL CONSUMED
0000-2400

3164

REMARKS

0000-0400 Steaming independently enroute Little Creek Va. with YFNB-12 in tow astern at 1700 feet in accordance with CEFB orders #4-63. #1 and #2 main propellers and #1 and #2 auxiliary propellers on the line. On base course 290°, speed 11 knots. Material condition report is set.

John M. Nolan, Jr. Ensign, U.S.N.R.

0400-0800 Steaming as before. 0415 °C 296° 0423 °C 294° 0738 Tow heaved into 1600 feet.

J. J. Kohut, Jr. USN.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (ATA181)

Saturday 7 September 63
(Day) (Date) (Month)

0800-1200 Steaming as before. 0800 Cc 300° 0900 extended acc. ship clocks (1) one hour to conform with +5 time zone, lanes 013 Cc 307° 1150 Cc 318°

W.L. Davenport, OMC5, USN

1200-1600 Steaming as before. 1200 Cc 307° 1211 sighted Cape Henry Light bearing 296.5, distance 5 1/2 miles. 1230 heaved to within 450 feet 1242 Cc 288° Entered inland section with Cape Henry bearing 257°, range 2 miles. 1247 Cc 290° Stationed the special sea and anchor details. 1249 Cc 292° 1312 Cc 290° 1322 Towed buoy #4 abeam to port, range 25 yds, commenced steering various courses at various speeds conforming to channels and ranges of Thimble Shoal channel. 1332 Subbed VFNB-1V close up astern. 1353 VTM 730 along side to port of VFNB-1V 1355 Tripped VFNB-1V to VTM 730, proceeding on both assigned, steering various courses at various speeds conforming to channels and ranges of Thimble Shoal channel. 1406 Secured the special sea anchor and towing details. 1439 Set course 058°, speed 12.1 knots and took departure for Philadelphia. 1452 With RB7 buoy bearing 184°, distance 2.5 miles entered International waters. 1554 Cc 038°

John M. Nolan, Jr. Enr. U.S.N.R.

1600-2000 Steaming as before. 1935 Cc 042°

J.J. Rohrer, Ltjg. USN.


2000-2400 Steaming as before. 2108 Cc 048° 2137 With buoy #255 abeam to port, distance 2 miles Cc 357° 2245 Cc 003° 2254 sighted Delaware St. Ship bearing 057°, distance 9.5 miles. 2308 Cc 357° 2340 Cc 326°

W.L. Davenport, OMC5, USN

APPROVED:

EXAMINED:


U.S.N. COMMANDING


U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Academy (ATA-11) ZONE DESCRIPTION +5 DATE Sunday, September, 1963
(Day) (Date) (Month)AT/PASSAGE FROM Little Creek, Virginia TO Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	270	10	8	Cl	30.06	69	69	-	-	-			
02	270	10	8	Cl	30.06	68	68	-	-	-			
03	270	10	8	Cl	30.06	67	67	-	-	-			
04	270	12	10	Cl	30.03	67	67	-	-	-			
05	275	11	10	Cl	30.03	67	66	-	-	-			
06	115	9	4	Cl	30.04	67	67	-	-	-			
07	020	6	2	H	30.04	68	68	-	-	-			
08	020	6	2	H	30.05	70	69	-	-	-			
09	020	5	1	H	30.08	67	65	-	-	-			
10	180	3	3	H	30.10	70	70	-	-	-			
11	180	4	4	H	30.10	78	72	3	1600	CB			
12	180	5	4	H	30.08	78	74	2	1600	CB			
13	180	2	5	H	30.07	78	75	4	1600	CB			
14	180	2	5	H	30.06	80	77	9	20,000	CI			
15	180	4	5	H	30.04	84	79	8	20,000	CI			
16	185	4	5	H	30.02	82	78	8	20,000	CI			
17	170	4	5	H	30.02	78	77	8	20,000	CI			
18	165	3	5	H	30.02	77	76	8	20,000	CI			
19	150	3	5	H	30.02	76	76	8	20,000	CI			
20	-	-	5	OC	30.02	73	72	10	20,000	CI			
21	-	-	5	OC	30.02	71	70	10	20,000	CI			
22	150	4	5	Cl	30.04	70	69	-	-	-			
23	150	4	5	Cl	30.06	69	68	-	-	-			
24	150	4	5	Cl	30.07	69	68	-	-	-			

POSITION ZONE TIME
0800
L _____ BY _____
λ _____ BY _____
1200
L _____ BY _____
λ _____ BY _____
2000
L _____ BY _____
λ _____ BY _____
LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400
109.4


FUEL CONSUMED
0000-2400
152.4

REMARKS


0000-0400 Steaming independently enroute Phila, Pa. in accordance with CEST order #4-63. On base course 336°, speed 12.1 knots. #1 and #2 main engines and #1 and #2 auxiliary generators on the line. Material condition code is set. 0607 Cc 315° 0034 sighted Cape May Light, bearing 246°, distance 14 miles. 0100 Advanced all ship's clocks 1 hour to conform with +4 time zone. 0215 Entered inland waters with buoy "D" bearing 254° distance 1 mile. 0222 Cc 330° with Delaware Bay buoy bearing 065°. 0223 Stationed the special anchor detail, commenced steaming various courses at various speeds conforming to channels and ranges of the Delaware Bay. 0339 passed 14 Foot Bank Lt. abeam to port, range 1600 yds. 0350 Entered Muck Munn Range.

John M. Nolan, Jr. Enr. U.S.N.R.

APPROVED:

 U.S.N. COMMANDING

EXAMINED:

 U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Essex (ATA-181)

Sunday 8 September 1963
(Day) (Date) (Month)

0400-0800 Steaming as before. 0425 Passed Elbow of Cape Ledge Lt. abeam to stb. 0444 Entered Lorton range. 0511 Passed Ship John Shoal, abeam to stb. 0627 Entered Ruddy Island range. 0650 Entered New Castle range. 0713 Entered Augustus Point range. 0746 Passed beneath the Delman Memorial bridge.

J. J. Kohut, Ltj. USN

0800-1200 Steaming as before. 0807 Entered Bellevue range. 0840 Entered Marcus Hook range. 0930 Entered Eddystone range. 1012 Captain took the conn. 1016 Manoeuvring, making approach to assigned berthing, Pier 1 South, Naval Base, Phila, Pa. 1024 Moored port side to Pier one South, Naval Base, Phila, Pa. with standard mooring lines snafled. 1036 Doubled up all lines, extra 6 inch fuel and aft 100 Commenced receiving miscellaneous service from the pier. 1115 Made daily inspection of magazines condition normal.

W. L. Davenport, OMC5, USN

1200-1600 Moored as before.

W. L. Davenport, OMC5, USN


1600-2000 Moored as before. 1630 Material Condition Yoke set.

W. L. Davenport, OMC5, USN

2000-2400 Moored as before.


W. L. Davenport, OMC5, USN

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG SHEET - TYPE B

USS Decatur (ATA-181) ZONE DESCRIPTION +4 DATE Monday 9 September, 1963
 AT/PASSAGE FROM Fier #1 South, Naval Base, Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)			
01	200	3	10	Clu	30.06	66	66							0800		
02	200	4	10	Clu	30.05	66	66							L		BY
03	200	4	10	Clu	30.05	65	65							λ		BY
04	270	1	10	Clu	30.03	65	65							2000		
05	270	1	8	Clu	30.02	65	65							L		BY
06	270	1	7	Clu	30.01	65	65							λ		BY
07	270	2	2	H	30.01	64	65									
08	265	1	2	Clu	30.02	65	65									
09	265	1	2	Clu	30.00	67	67									
10	260	1	2	Clu	30.00	70	70									
11	260	1	4	Clu	30.00	74	73									
12	210	2	4	H	30.00	76	73									
13	220	3	4	H	29.97	79	78									
14	220	3	4	H	29.95	81	80									
15	220	4	4	H	29.92	84	84									
16	180	4	4	H	29.90	85	85									
17	180	4	4	H	29.88	86	82									
18	180	4	4	H	29.88	85	81									
19	180	4	4	H	29.86	83	77									
20	180	5	5	Clu	29.86	80	78									
21	180	5	6	Clu	29.88	78	77									
22	180	5	5	Clu	29.88	77	76									
23	180	5	5	Clu	29.88	76	75									
24	180	5	8	Clu	29.87	75	74									

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400 _____

FUEL CONSUMED 0000-2400 _____
10

REMARKS

0000-0400 Moved port side to pier #1 South, Naval Base, Phila, Pa. with standard mooring line doubled and extra 6 inch fud. left. Receiving miscellaneous services from the pier. Ships present include various ships of the Atlantic fleet, local yard and district craft. Material condition up to date. ZOPA is CO of USS Decatur (ATA-181)

W. L. Davenport, OMC5, USA

0400-0800 Moved as before. 0755 Mustered the crew at quarters, absentees, none.

W. L. Davenport, OMC5, USA

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accatuck (ATA-181)

Monday 9 September

(Day)

(Date)

(Month)

1963

0800-1200 Manued as before. 1000 made daily inspection of magazine, condition normal.

J. Holzinger, CWO/2

1200-1600 Manued as before.

J. Holzinger, CWO/2

1600-2000 Manued as before. 1630 Material condition cycle set

J. Holzinger, CWO/2

2000-2400 Manued as before.


J. Holzinger, CWO/2

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Reef (ATA-181)

ZONE DESCRIPTION

74

DATE

Tuesday, September 19, 63

AT/PASSAGE FROM

Pier #1 South Naval Base, Phila., Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Sym-bols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	110	4	8	cl	29.87	73	73	—	—	—			
02	165	3	8	cl	29.88	70	70	—	—	—			
03	165	2	8	cl	29.86	70	71	—	—	—			
04	000	3	10	cl	29.88	70	69	—	—	—			
05	340	3	10	cl	29.88	70	69	—	—	—			
06	340	2	10	cl	29.88	69	68	—	—	—			
07	340	2	5	sc	29.90	69	68	✓	6500	AC			
08	350	6	2	cl	29.93	75	69	—	—	—			
09	000	5	5	H	29.92	75	72	—	—	—			
10	000	2	8	cl	29.92	76	74	—	—	—			
11	000	5	10	cl	29.92	77	75	—	—	—			
12	000	5	10	cl	29.92	77	75	—	—	—			
13	000	7	10	BKN	29.92	78	76	6	1600	cu			
14	000	7	10	BKN	29.92	78	74	7	1600	cu			
15	335	7	10	sc	29.90	83	78	4	1600	cu			
16	340	3	10	sc	29.92	85	80	4	1600	cu			
17	340	5	10	sc	29.91	84	79	5	1600	cu			
18	000	6	10	BKN	29.94	82	76	7	1600	cu			
19	000	7	10	BKN	29.96	80	73	7	1600	cu			
20	000	7	10	BKN	29.98	80	72	7	1600	cu			
21	015	8	10	cl	29.99	78	71	—	—	—			
22	045	10	10	cl	30.04	76	70	—	—	—			
23	005	10	10	cl	30.07	74	70	—	—	—			
24	005	10	10	cl	30.07	72	70	—	—	—			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
74

REMARKS

0000-0400 Manned port side to pier #1 South Naval Base, Phila., Pa. with standard mooring lines doubled. Extra 6 inch h/d. aft. Receiving miscellaneous service from the pier. Ships present include various units of the Atlantic Fleet local yard & district craft. Material condition yoke is set. SPTA is CO USA Submarine (184)

J. Holzinger, CWO/2

0400-0800 Manned as before. 0755 Mustered the crew at quarters, absentees: Kling, Lt. T, 492-24-94, FN, USN V.A. since 0745 this date.

J. Holzinger, CWO/2

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]


U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP


*Accokeek (ATA 181)**Tuesday 10 September 62*
(Day) (Date) (Month)*0800-1200 Moored as before. 1000 made daily inspection of magazine, condition normal.**OKins SFC**1200-1600 Moored as before.**FCRins SFC**1600-2000 Moored as before. 1630 Material Condition yab-wet**FCRins SFC**2000-2400 Moored as before.**FCRins SFC*

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Albatross (AG-181) ZONE DESCRIPTION +5 DATE Wednesday 11 September 1963
(Day) (Date) (Month)
AT/PASSAGE FROM Pier #1 South Naval Base, to Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	000	10	10	Clu	30.08	70	66	—	—	—			
02	000	7	10	Clu	30.09	69	65	—	—	—			
03	000	3	10	Clu	30.10	69	65	—	—	—			
04	010	4	10	Clu	30.11	68	67	—	—	—			
05	350	4	10	Clu	30.12	67	67	—	—	—			
06	355	6	10	Clu	30.13	66	66	—	—	—			
07	355	4	10	set	30.14	67	66	1	2000	ci			
08	030	5	7	Clu	30.18	67	67	—	—	—			
09	030	6	7	Clu	30.18	69	69	—	—	—			
10	040	5	8	Clu	30.19	71	72	—	—	—			
11	040	5	8	Clu	30.20	74	75	—	—	—			
12	050	5	10	Clu	30.20	74	74	—	—	—			
13	050	5	10	set	30.16	75	78	3	1600	cu			
14	050	5	10	set	30.16	75	78	3	1600	cu			
15	050	5	10	set	30.10	79	75	4	1600	cu			
16	050	5	10	set	30.08	82	79	3	1600	cu			
17	050	5	10	set	30.08	79	76	3	1600	cu			
18	050	5	10	set	30.08	77	75	2	1600	cu			
19	050	5	10	Clu	30.08	76	74	—	—	—			
20	150	4	10	Clu	30.08	74	71	—	—	—			
21	150	4	10	Clu	30.08	73	70	—	—	—			
22	150	4	10	Clu	30.08	71	70	—	—	—			
23	150	4	10	Clu	30.08	71	70	—	—	—			
24	155	5	8	Clu	30.06	70	69	—	—	—			

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
10

REMARKS

0000-0400 Moved port side to pier #1 South Naval Base Phila, Pa. with standard mooring lines doubled extra bridle lead. aft. Receiving miscellaneous services from the pier. Ships present include various units of the Atlantic Fleet local yard and district craft. Material condition spike is set. 50th in CO. U.S.S. Guadalcanal (LST-7)

FCRil SFC

0400-0800 Moved as before. 0755 Mustered the crew at quarters observation, King, LT, #92-24, 94, FC, USN. VA since 0745 10 Sept 1963

FCRil SFC

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Academy (ATA 181)

Wednesday 11 September 1963
(Day) (Date) (Month)

0800-1200 Measured as before. 1000 made daily inspection
of magazines, conditions normal

John M. Nolan, Jr. Ensign U.S.N.R.

1200-1600 Measured as before.

John M. Nolan, Jr. Ensign U.S.N.R.

1600-2000 Measured as before. 1630 Material Condition checked

John M. Nolan, Jr. Ensign U.S.N.R.

2000-2400 Measured as before.

John M. Nolan, Jr. Ensign U.S.N.R.

APPROVED:


U.S.N. COMMANDING

EXAMINED:


U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Albatross (ATA-81) ZONE DESCRIPTION 7.5 DATE Thursday, 12 September, 1963
AT/PASSAGE FROM Pier #1 South Naval Base, Philadelphia, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	155	5	8	Cl	30.06	70	69	—	—	—			
02	155	5	8	Cl	30.06	70	69	—	—	—			
03	155	5	8	Cl	30.06	70	69	—	—	—			
04	150	5	10	Cl	30.07	70	69	—	—	—			
05	150	5	10	Cl	30.07	70	69	—	—	—			
06	150	5	10	Cl	30.00	70	69	—	—	—			
07	160	5	10	H	30.00	69	69	—	—	—			
08	180	8	10	H	29.96	71	70	—	—	—			
09	180	8	10	H	29.96	72	71	—	—	—			
10	180	10	10	H	29.92	69	67	—	—	—			
11	180	10	10	H	29.90	76	75	—	—	—			
12	180	15	10	H	29.86	79	77	—	—	—			
13	180	15	10	H	29.82	82	79	—	—	—			
14	180	15	10	Cl	29.80	84	80	—	—	—			
15	180	15	10	Cl	29.80	84	80	—	—	—			
16	180	15	10	Sc	29.76	85	82	3	20,000	ci			
17	180	12	10	Sc	29.73	87	84	3	20,000	ci			
18	180	15	10	Sc	29.71	85	80	4	20,000	ci			
19	180	15	10	Sc	29.71	83	79	4	20,000	ci			
20	070	15	10	Sc	29.71	81	79	4	20,000	ci			
21	070	15	10	Sc	29.71	78	78	4	20,000	ci			
22	070	12	10	Sc	29.71	77	77	4	20,000	ci			
23	070	15	10	Sc	29.71	77	77	4	20,000	ci			
24	070	15	10	Sc	29.72	73	71	4	20,000	ci			

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400
10

REMARKS

0000-0400 moved port side to pier #1 South Naval Base, Phila, Pa. with standard morning line doubled & extra brace fwd. & aft. Receiving miscellaneous service from the pier. Ships present include various units of the Atlantic Fleet local yard & district craft. Material Completion yard is at. SOLA is CD USAF M-7 (PD 679)

John M. Nolan, Jr. Ensign U.S.N.R.

0400-0800 moved as before. 0755 mustered the crew at quarters absentees, Phila, Pa. 492 24 94 FN USAF VA since 0745 10 Sept. 1963.

John M. Nolan, Jr. Ensign U.S.N.R.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

*Asakubi (ATA181)**Thursday 12 September 63*
(Day) (Date) (Month)*0800-1200 Meand as before. 1000 Made daily inspection of magazines, conditions normal.**DE Brown ENC**1200-1600 Meand as before.**DE Brown ENC**1600-2000 Meand as before. 1630 Material Condition yoke set.**DE Brown ENC**2000-2400 Meand as before. 2030 King & T. 4922494, EN USN returned on board after UA service 0745 10 September 1963.**DE Brown ENC*

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Albatross (ATA-81) ZONE DESCRIPTION +5 DATE Friday 13 September, 19 67
AT/PASSAGE FROM San Juan, Puerto Rico TO Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	10	10	R	29.76	73	72	10	20,000	ci			
02	070	10	10	set	29.78	70	69	2	20,000	ci			
03	000	12	10	6vc	29.80	72	71	10	20,000	ci			
04	000	12	10	0vc	29.84	66	67	10	20,000	ci			
05	350	12	10	0vc	29.87	63	63	10	20,000	ci			
06	345	10	10	0vc	29.89	62	60	10	20,000	ci			
07	355	12	10	0vc	29.91	61	59	10	20,000	ci			
08	355	12	10	0vc	29.91	61	59	10	20,000	ci			
09	355	12	10	0vc	29.95	59	59	10	20,000	ci			
10	355	12	10	0vc	29.98	58	59	10	20,000	ci			
11	355	12	10	0vc	30.06	61	59	10	20,000	ci			
12	005	12	10	0vc	30.08	63	61	10	20,000	ci			
13	005	12	10	0vc	30.10	64	61	10	20,000	ci			
14	000	12	10	0vc	30.10	64	60	10	20,000	ci			
15	000	12	10	0vc	30.13	63	64	10	20,000	ci			
16	000	12	10	0vc	30.14	68	64	10	20,000	ci			
17	000	12	10	0vc	30.14	68	65	8	20,000	ci			
18	000	12	10	0vc	30.15	68	65	6	20,000	ci			
19	000	12	10	0vc	30.16	64	63	6	20,000	ci			
20	000	10	10	0vc	30.18	62	59	6	20,000	ci			
21	000	10	10	set	30.20	61	58	4	20,000	ci			
22	000	10	10	set	30.22	60	57	3	20,000	ci			
23	000	10	10	set	30.24	58	55	3	20,000	ci			
24	070	8	10	set	30.24	55	56	3	20,000	ci			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400
10

REMARKS

0000-0400 moved port side to give #1 South Naval Base, Phila, Pa. with standard morning line doubled. extra line fed aft. Receiving miscellaneous stores from the ship. Ship's gray twillide canvas sails by the Atlantic. Port local yard and district craft. Material condition up to date. 30/11 is CO U.S. Naval Canal (LPHN)

DE Brown ENC

0400-0800 Moved as before. 0755 Mustard the crew at quarters, absentees, none.

DE Brown ENC

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Acacia (ATA 81)

Friday 13 September 1963
(Day) (Date) (Month)

*0800-1200 Moored as before. 1000 Made daily inspection of
engine room conditions normal. Made weekly test of
flooding & sprinkling system, test satisfactory.*

W. L. Lorange CWO USN

1200-1600 Moored as before.

W. L. Lorange CWO USN

1600-2000 Moored as before. 1630 Material condition of hull set.

W. L. Lorange CWO USN

2000-2400 Moored as before.


W. L. Lorange CWO USN

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-68075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Academy (ATA 181)

ZONE DESCRIPTION

f-5

DATE

Saturday 14 September 1968

AT/PASSAGE FROM

Fier #1 South Naval Base, Philadelphia, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	355	12	10	set	30.24	56	54	2	20,000	ci			
02	340	14	10	set	30.26	54	54	2	20,000	ci			
03	340	10	10	set	30.28	54	53	2	20,000	ci			
04	340	10	10	set	30.29	54	53	2	20,000	ci			
05	340	10	10	set	30.30	53	54	3	20,000	ci			
06	000	10	10	bkn	30.31	53	54	6	20,000	ci			
07	000	10	10	bkn	30.30	53	54	7	20,000	ci			
08	100	10	10	ovc	30.34	54	51	10	1600	ST			
09	100	10	10	ovc	30.34	54	51	10	1600	ST			
10	090	10	10	ovc	30.35	57	56	10	1600	ST			
11	090	10	10	ovc	30.36	58	56	10	1600	ST			
12	120	10	10	ovc	30.35	62	61	10	1600	ST			
13	120	5	10	bkn	30.36	63	62	8	1600	ST			
14	120	7	10	bkn	30.36	65	63	8	1600	ST			
15	120	7	10	eli	30.36	68	65	—	—	—			
16	070	8	10	set	30.34	71	69	4	1600	ST			
17	070	8	10	set	30.36	68	64	3	1600	ST			
18	070	8	10	bkn	30.37	68	62	8	1600	ST			
19	070	6	10	set	30.36	63	60	4	1600	ST			
20	130	8	9	bkn	30.38	64	58	6	1600	ST			
21	130	8	9	bkn	30.39	60	58	6	1600	ST			
22	130	6	10	set	30.39	60	58	4	1600	ST			
23	130	6	10	set	30.39	60	58	4	1600	ST			
24	120	8	10	set	30.38	59	57	5	1600	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

10

REMARKS

0000-0400 Moved port side to pier #1 South Naval Base, Philadelphia, Pa. which standard mooring lines doubled & extra 6 inch fud & aft. Receiving miscellaneous services from the pier. Ships present include various units of the Atlantic Fleet local yard & district craft, & material completion yard & at 2017 is CO U.S. Decadal Canal (LPH-2)

W. L. Lorange CWO USN

0400-0800 Moved as before. 0725 Mustered the crew on station, absentees, none.

W. L. Lorange CWO USN

APPROVED:

U.S.N. COMMANDING

EXAMINED:


U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

*Acacia (ATA-181)**Saturday 14 September, 1963*
(Day) (Date) (Month)*0800-1000 Measured as before. 1000 Made daily inspection of
magazines. Conditioned normal.**J. Holzinger, CWO/2**1200-1600 Measured as before.**J. Holzinger, CWO/2**1600-2000 Measured as before. 1630 Material Condition yoke set.**J. Holzinger, CWO/2**2000-2400 Measured as before.**J. Holzinger, CWO/2*

APPROVED:


U.S.N. COMMANDING

EXAMINED:

A. G. Lorange CWO
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (ATA-181)

Sunday, 15 September, 1963
(Day) (Date) (Month)

*0800-1200 Measured as before. 1000 Made daily inspection of
magazines, condition normal.*

J. Holzinger, CW0/2

1200-1600 Measured as before.

J. Holzinger, CW0/2

1600-2000 Measured as before. 1630 Material condition checked.

J. Holzinger, CW0/2

2000-2400 Measured as before.

J. Holzinger, CW0/2

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

ADDITIONAL REMARKS

UNITED STATES SHIP

*Accatuk (ATA 181)**Monday 16 September 1967*
(Day) (Date) (Month)

0800-1200 Moored as before. 1000 Made daily inspection of machinery, conditions normal. 1011 The Commanding Officer held mast and surposed non-judicial punishment as follows, being William D. 4922494, FN, USA, violation of article 86, UCMJ, UA. for a period of 2 days 12 hours and 45 minutes; assigned 7 days confinement in brig, Naval Base, Philadelphia, Pa. and reduction to FA.

FCRiss SEC

1200-1600 Moored as before.

FCRiss SEC

1600-2000 Moored as before. 1630 Material Condition code set

FCRiss SEC

2000-2400 Moored as before.

FCRiss SEC

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Academy (ATA 181)

ZONE DESCRIPTION

15

DATE

Tuesday 17 September 1963

AT/PASSAGE FROM

Pier #1 South Naval Base, Phila., Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	060	3	7	ovc	30.19	68	66	10	1600	ST			
02	000	3	7	ovc	30.18	69	61	10	1600	ST			
03	000	4	9	ovc	30.18	69	67	10	1600	ST			
04	000	3	10	L	30.18	65	65	10	1600	NS			
05	045	2	10	L	30.18	65	65	10	1600	NS			
06	090	5	10	L	30.18	65	65	10	1600	NS			
07	090	5	2	L	30.17	65	65	10	1600	NS			
08	060	7	2	L	30.17	67	67	10	1600	NS			
09	060	10	2	ovc	30.18	67	67	10	1600	ST			
10	060	10	2	ovc	30.18	68	67	10	1600	ST			
11	070	8	2	ovc	30.17	68	68	10	1600	ST			
12	060	8	4	ovc	30.19	69	69	10	1600	ST			
13	060	8	3	ovc	30.19	70	70	10	1600	ST			
14	060	8	3	ovc	30.19	69	69	10	1600	ST			
15	060	8	3	ovc	30.19	70	70	10	1600	ST			
16	070	12	3	ovc	30.18	70	70	10	1600	ST			
17	070	10	3	ovc	30.18	70	70	10	1600	ST			
18	070	8	3	L	30.18	70	70	10	1600	ST			
19	065	8	3	L	30.18	69	69	10	1600	ST			
20	060	5	4	L	30.18	71	70	10	1600	ST			
21	060	5	4	L	30.18	69	68	10	1600	ST			
22	060	5	4	L	30.19	70	69	10	1600	ST			
23	050	5	5	L	30.20	69	69	10	1600	ST			
24	050	5	5	L	30.20	69	69	10	1600	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

5

REMARKS

0000-0400 moved port side to pier #1 south Naval Base, Phila., Pa. with standard mooring lines doubled & extra bridle used and aft. Receiving miscellaneous services from the pier. Ships present include various units of the Atlantic Fleet local yard and district craft, National Guard ship in port. 2014 & 2000 U.S. Naval Academy (ATA 181)

JP Kiel SFE

0400-0600 moved as before. 0755 Mustered the crew at quarters, abatement, none.

JP Kiel SFE

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

*Accatuck (ATA-181)**Tuesday 17 September 63*
(Day) (Date) (Month), 19

0800-1200 Moored as before. 1000 Made daily inspection of magazines, conditions normal.

John M. Nolan, Jr. Ensign U.S.N.R.

1200-1600 Moored as before.

John M. Nolan, Jr. Ensign U.S.N.R.

1600-2000 Moored as before. 1630 Material condition upke is set. 1445 Petrol, R. B. 491-23-40 FM USA found to be VA since 1300 this date.

John M. Nolan, Jr. Ensign U.S.N.R.

2000-2400 Moored as before.

John M. Nolan, Jr. Ensign U.S.N.R.

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Academy (ATA-81)

ZONE DESCRIPTION

+5

DATE

Wednesday 18 September 1963

AT/PASSAGE FROM

from #1 South Naval Base, Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	5	5	L	30.20	69	69	10	1600	2T			
02	050	5	7	01C	30.18	69	69	10	1600	2T			
03	050	3	1	01C	30.18	69	69	10	1600	2T			
04	060	5	5	01C	30.17	70	69	10	1600	2T			
05	060	5	8	01C	30.15	69	69	10	1600	2T			
06	060	5	6	01C	30.15	69	69	10	1600	2T			
07	060	5	4	R	30.14	69	69	10	1600	2T			
08	000	5	6	01C	30.14	69	69	10	1600	2T			
09	000	5	5	01C	30.14	69	69	10	1600	2T			
10	000	5	5	R	30.14	69	69	10	1600	2T			
11	000	5	5	R	30.14	69	69	10	1600	2T			
12	350	5	4	R	30.12	72	72	10	1600	2T			
13	350	4	6	01C	30.11	72	73	10	1600	2T			
14	345	5	6	01C	30.10	72	72	10	1600	2T			
15	005	6	6	01C	30.10	70	72	10	1600	2T			
16	110	6	5	H	30.06	72	71	—	—	—			
17	110	6	5	H	30.06	72	71	—	—	—			
18	110	2	5	H	30.06	72	72	—	—	—			
19	180	3	3	H	30.04	71	71	—	—	—			
20	190	5	4	H	30.04	70	70	—	—	—			
21	190	5	3	H	30.04	69	69	—	—	—			
22	190	4	3	H	30.04	68	68	—	—	—			
23	190	4	2	H	30.04	69	69	—	—	—			
24	190	4	6	H	30.04	69	69	—	—	—			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

10

REMARKS

0000-0600 Moved port side to pier #1 South Naval Base, Phila Pa with standard mooring lines doubled extra brinch hys and aft. Performing miscellaneous services from the pier. Ships present include various units of the Atlantic Fleet; local speed & distrit craft. Material condition up to date in both 501A in CL. 11.0.0. Dredal Canal (11.0.0)

John M. Nolan, Jr. Enr. USNR

0400-0800 Moved as before. 0755 Mustered the crew at quarter assembly, Petrie, R. 12 49/23 40 FN USN VA since 1300 17 September 1963, Petrie, J. R. 365 82 71 5M2 USN VA since 0745 this date 18 September 1963.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

John M. Nolan, Jr. Enr. USNR
[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accatuck (ATA-181) Wednesday 18 September 62
(Day) (Date) (Month) 1962*0800-1200 Measured as before. 1000 Made daily inspection of
magazines, condition normal.**DE Brown ENC**1200-1600 Measured as before.**DE Brown ENC**1600-2000 Measured as before. 1630 Material condition yoke set.**DE Brown ENC**2000-2400 Measured as before.**DE Brown ENC*

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

NAVPERs 720 (Rev. 4-56)

WEATHER OBSERVATIONS

USS

ZONE DESCRIPTION

DATE _____

AT/~~PASSAGE~~ FROM

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	195	4	3	F	30.02	68	68	-	-	-			
02	-	-	1	F	30.00	67	67	-	-	-			
03	-	-	1	F	30.00	67	67	-	-	-			
04	-	-	1	F	29.97	66	66	-	-	-			
05	-	-	1	F	29.98	65	65	-	-	-			
06	-	-	1	F	29.99	65	65	-	-	-			
07	-	-	1	F	29.99	64	65	-	-	-			
08	-	-	1	F	29.98	65	65	-	-	-			
09	180	2	1	F	29.98	67	67	10	1600	ST			
10	180	3	2	F	29.98	69	68	10	1600	ST			
11	180	4	2	H	29.98	69	68	10	1600	ST			
12	180	2	5	H	29.95	75	74	5	1600	CB			
13	180	5	10	ScT	29.94	76	75	4	1600	CB			
14	180	5	10	ScT	29.92	79	76	4	1600	CB			
15	180	6	10	ScT	29.92	80	76	2	20,000	ci			
16	180	6	10	BKN	29.92	80	76	6	20,000	ci			
17	180	5	10	BKN	29.91	81	77	6	20,000	ci			
18	180	4	10	BKN	29.90	82	78	7	20,000	ci			
19	-	-	10	BKN	29.90	80	76	7	20,000	ci			
20	180	2	10	BKN	29.92	77	74	6	20,000	ci			
21	180	3	10	ScT	29.92	75	73	5	20,000	ci			
22	180	3	10	ScT	29.92	72	70	5	20,000	ci			
23	180	2	10	CLW	29.91	71	70	-	-	-			
24	180	3	10	ScT	29.91	71	69	1	20,000	ci			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date) _____
(ZT) _____	(Date) _____
TO _____	(Date) _____
(ZT) _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

10

REMARKS

0000-0400 Manned port side to pier #1 South Naval Base,
Pleola, Va. with standard mooring lines doubled &
extra bunt led and aft. Receiving miscellaneous
services from the pier. Ships present include various
units of the Atlantic Fleet local yard and district
craft. Mutual Cadetship exists. GPH is CO
U.S.S. Guadaloupe (PH-7)

DE Brown Etc

0400-0800 Manned as before. 0755 Mustered the Crew at
quarters absentees, Petric R.P., 49123 40 FN USN, VA since 130
17 September 1963, Busher, J.R., 365 82 71, SM2 USN, VA since 0745
18 September, 1963

DE Brown Enc

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accatank (ATA 181)

Thursday 19 September, 1963
(Day) (Date) (Month)

0800-1000 Manned as before. 0830 Com 4 inspection team arrived on board for administrative inspection. 1000 Made daily inspection of magazines, conditions normal.

A.B. Lorange, Com used

1200-1600 Manned as before.

A.B. Lorange, Com used

1600-2000 Manned as before. 1603 Com 4 inspection team departed the ship. 1630 Material Condition yoke set.

A.B. Lorange, Com used

2000-2400 Manned as before.

U. L. Sawyers, T, Com used

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Occochee (ATA 81)

ZONE DESCRIPTION

+5

DATE

Friday 20 September, 1963

AT/PASSAGE FROM

Pier #1 South, Naval Base, Philadelphia

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES		POSITION	ZONE	TIME	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)				
01	180	3	10	ch	29.89	70	68	—	—	—							
02	180	2	10	sc	29.88	69	68	2	1600	cu							
03	180	3	10	blw	29.87	68	67	6	1600	cu							
04	180	3	10	blw	29.87	67	67	6	1600	cu							
05	180	3	10	blw	29.87	67	67	6	1600	cu							
06	180	5	10	ovc	29.89	67	67	10	1600	cu							
07	180	5	2	ovc	29.90	68	68	10	1600	cu							
08	180	3	1	H	29.92	69	68	—	—	—							
09	180	3	1	H	29.92	70	69	—	—	—							
10	180	3	1	H	29.94	70	69	—	—	—							
11	180	3	2	H	29.90	74	73	—	—	—							
12	180	3	2	H	29.90	78	79	—	—	—							
13	180	3	3	H	29.89	80	76	—	—	—							
14	180	3	3	H	29.89	83	80	—	—	—							
15	—	—	4	H	29.86	87	83	—	—	—							
16	180	4	4	H	29.86	87	83	—	—	—							
17	180	4	4	ovc	29.80	81	77	10	1600	cu							
18	180	4	4	ovc	29.80	80	77	10	1600	cu							
19	190	2	4	ovc	29.80	80	77	10	1600	cu							
20	180	2	5	ovc	29.80	80	77	10	1600	cu							
21	180	3	5	ovc	29.84	74	73	10	1600	cu							
22	180	3	5	ovc	29.84	74	73	10	1600	cu							
23	175	7	5	ovc	29.88	71	70	10	1600	cu							
24	175	10	5	ovc	29.90	68	68	10	1600	st							

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

10

REMARKS

0000-0400 Moved port side to pier #1 south Naval Base, Philadelphia, with standard mooring lines doubled; extra bridle used; aft receiving miscellaneous services from the pier. Ships present include various units of the Atlantic Fleet, local yard and district craft. Material condition code is 10. SOLA in CO 418. Dradgeland (PHN)

U. L. Davenport, QMCs, USN

0400-0800 Moved as before. 0755 Mustered the crew at quarters, absentees list: R. D. 491 23 40, FN, USN, VA since 1300 17 Sept 1963, Bucher, J. R., 365 82 71, SM2, USN, VA since 0745 18 September 1963

U. L. Davenport, QMCs, USN

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accakuk (ATA-181)

Friday 30 September 63
(Day) (Date) (Month) 19

0800-1200 Moored as before. 0910 Com & inspection party arrived aboard to conduct personnel & administrative inspection. 0939 Commenced personnel inspection headed by Captain A. D. Smith. 0945 Secured from personnel inspection. 1000 Made daily inspection of magazine, conditions normal. 1000 Made weekly test of flooding and squalling system, test satisfactory. 1000 Commenced Com & material inspection. 1045 Secured from material inspection.

W. L. Davenport, QMCS, USA

1200-1600 Moored as before.

W. L. Davenport, QMCS, USA

1600-2000 Moored as before. 1612 Com & inspection party departed the ship. 1630 Material Condition up to date.

W. L. Davenport, QMCS, USA

2000-2400 Moored as before.

W. L. Davenport, QMCS, USA

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

W. L. Davenport
U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Albatross (AGOS-1) ZONE DESCRIPTION +5 DATE Saturday 21 September 63
 AT/PASSAGE FROM Pier #1 South, Naval Base, Phila., Pa. TO Phila., Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	10	7	ovc	29.92	65	63	10	1600	ST			
02	130	10	8	ovc	29.92	63	62	10	1600	ST			
03	090	10	8	ovc	29.93	63	62	10	1600	ST			
04	090	8	8	ovc	29.96	62	61	10	1600	ST			
05	090	10	8	ovc	29.96	62	61	10	1600	ST			
06	090	10	8	ovc	29.96	62	61	10	1600	ST			
07	090	10	8	L	29.99	63	62	10	1600	ST			
08	090	10	8	L	30.00	62	61	10	1600	ST			
09	060	10	7	H	30.01	62	61	10	1600	ST			
10	060	10	8	H	30.02	63	62	10	1600	ST			
11	065	10	8	H	30.04	63	63	10	1600	ST			
12	070	10	6	H	30.02	63	63	10	1600	ST			
13	070	8	5	H	30.02	65	64	10	1600	ST			
14	070	6	6	H	30.00	65	64	10	1600	ST			
15	070	5	6	H	29.99	65	65	10	1600	ST			
16	065	6	6	H	30.00	65	65	10	1600	ST			
17	065	6	6	H	30.00	65	64	10	1600	ST			
18	065	6	6	H	30.02	64	64	10	1600	ST			
19	070	4	6	H	30.02	64	63	10	1600	ST			
20	070	4	8	L	30.04	63	63	10	1600	ST			
21	070	4	8	H	30.04	63	63	10	1600	ST			
22	070	4	8	H	30.04	63	63	10	1600	ST			
23	070	4	8	L	30.06	63	63	10	1600	ST			
24	065	5	8	H	30.07	62	60	10	1600	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
 0000-2400

FUEL CONSUMED
 0000-2400

10

REMARKS

0000-0400 moved port side to pier #1 South, Naval Base, Phila. Pa. with standard mooring lines doubled & extra 6 inch shd. 8' aft. receiving miscellaneous service from the pier. These present include various units of the Atlantic Fleet located & berthed. Craft & Material Condition up to is S. 30 PA is CO U.S. Naval Base & LPH.

W. L. Lawrence, USN

0400-0800 71 moved as before. 0755 71 mustered the crew on station. Carpenter, Petrie, R. B., 49123 40, FR, USN, VA since 1309 17 Sept 63. Barber, J. R., 36582 71, SM, USN, VA since 0745 18 Sept 63.

W. L. Lawrence, USN

APPROVED:

[Signature]
 U.S.N. COMMANDING

EXAMINED:

[Signature]
 U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (AT-181)

Saturday 21 Sept. 1963
(Day) (Date) (Month)

0800-1200 Moored as before. 1000 made daily inspection of magazines, conditions normal.

J. H. Hingee, CWO

1200-1600 Moored as before.

J. H. Hingee, CWO

1600-2000 Moored as before 1630 Material condition yoke set.

J. H. Hingee, CWO

2000-2400 Moored as before.

J. H. Hingee, CWO

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Accokeek (AT-140)

ZONE DESCRIPTION

+5

DATE

Sunday 22 Sept, 19 *62*

AT/PASSAGE FROM

Pier #4 South Naval Base, Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	095	4	9	ovc	30.06	61	57	10	1600	ST			
02	045	5	10	BKN	30.06	58	57	8	6500	HC			
03	010	6	10	BKN	30.06	56	54	7	6500	AC			
04	010	5	10	BKN	30.06	65	54	9	6500	AC			
05	010	5	10	BKN	30.06	60	54	9	6500	AC			
06	030	6	10	scf	30.08	53	51	1	1600	ST			
07	030	4	10	scf	30.10	50	50	1	1600	SC			
08	045	8	10	Clu	30.10	52	50	-	-	-			
09	030	8	10	Clu	30.12	55	53	-	-	-			
10	040	8	10	Clu	30.12	57	55	-	-	-			
11	040	8	10	Clu	30.12	59	57	-	-	-			
12	000	8	10	Clu	30.12	60	58	-	-	-			
13	350	8	10	scf	30.12	62	59	4	1600	CU			
14	352	8	10	BKN	30.11	63	59	6	1600	CU			
15	355	8	10	BKN	30.10	64	60	6	1600	CU			
16	350	8	10	BKN	30.10	66	62	6	1600	CU			
17	000	8	10	BKN	30.10	66	61	6	1600	CU			
18	000	10	10	BKN	30.12	66	61	6	1600	CU			
19	000	8	10	BKN	30.12	66	61	6	1600	CU			
20	000	8	10	BKN	30.16	65	60	6	1600	CU			
21	000	7	10	scf	30.18	63	60	5	1600	CU			
22	000	7	10	scf	30.20	62	59	5	1600	CU			
23	000	7	10	scf	30.22	60	57	4	1600	CU			
24	000	8	10	Clu	30.23	59	55	-	-	-			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(2T) _____ (Date) _____
TO _____	(2T) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

10

REMARKS

000-0400 Moored port side to pier #4 South Naval Base, Phila, Pa. with standard mooring lines doubled & extra brinch fud & aft. Receiving miscellaneous services from the pier. Ships present include various units of the Atlantic fleet, local yard and harbor craft. Material condition code is set. 2014 is CO USN Decadecanal (KPNP)

J. H. Hingee, CWO

0400-0600 Moored as before.

J. H. Hingee, CWO

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (ATA-81)

Sunday 22 Sept 63
(Day) (Date) (Month) 1963

*0800-1200 Moored as before. 1000 made daily inspection of
magazines, conditions normal.*

FCRins SFC

*1200-1600 Moored as before. 1300 Mustered the crew on
station, absentees, Petrie, R. D., 4912340, FN, USN, VA since 1300
17 Sept 1963, Bucher, J. R., 365 82 71, SM2, USN, VA since 0745 18 Sept 63*

FCRins SFC

1600-2000 Moored as before. 1630 Material Condition check is set.

FCRins SFC

2000-2400 Moored as before.

FCRins SFC

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-69075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Accokeek (ATA-18) ZONE DESCRIPTION +5 DATE Monday 23 Sept. 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pier #1 South Naval Base, To Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	6	10	Cl	30.24	55	53	-	-	-			
02	000	6	10	Cl	30.24	55	53	-	-	-			
03	000	4	10	Cl	30.25	55	53	-	-	-			
04	010	6	10	Cl	30.24	55	53	-	-	-			
05	040	6	10	Cl	30.26	53	50	-	-	-			
06	060	10	10	Cl	30.28	53	51	-	-	-			
07	055	10	10	Cl	30.28	53	51	-	-	-			
08	000	12	10	Cl	30.32	53	51	-	-	-			
09	000	12	10	Cl	30.34	52	50	-	-	-			
10	000	10	10	Cl	30.34	56	54	-	-	-			
11	000	8	10	Cl	30.34	61	58	-	-	-			
12	000	8	10	Cl	30.34	62	59	-	-	-			
13	000	8	10	Cl	30.34	64	59	-	-	-			
14	000	8	10	Sct	30.34	64	60	2	1600	CU			
15	000	8	10	Sct	30.32	65	61	2	1600	CU			
16	000	5	10	Sct	30.32	70	65	4	1600	CU			
17	000	5	10	Sct	30.32	67	63	4	1600	CU			
18	000	5	10	Sct	30.34	65	61	2	1600	CU			
19	000	5	10	Sct	30.36	61	58	2	1600	CU			
20	010	4	10	Cl	30.40	57	54	-	-	-			
21	020	3	10	Cl	30.43	56	53	-	-	-			
22	020	3	10	Cl	30.44	55	52	-	-	-			
23	020	3	10	Cl	30.46	57	54	-	-	-			
24	020	2	10	Cl	30.46	55	53	-	-	-			

POSITION ZONE TIME
0800
L _____ BY _____
λ _____ BY _____
1200
L _____ BY _____
λ _____ BY _____
2000
L _____ BY _____
λ _____ BY _____
LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400
10

REMARKS

0000-0400 Moved port side to pier #1 South Naval Base, Phila, Pa. with standard mooring lines doubled and extra 6 inch fud 1/2 ft. Receiving miscellaneous services from the pier. Ships present include various units of the Atlantic fleet, local yard and district craft. Material condition up to sat. SOPA is CO U.S.S. Guadalcanal (LPH-7)

JCR SFC

0400-0800 Moved as before. 0755 Mustard the crew at quarters, absence, Petrie, R. D., 4912340 FN, USN, VA since 1300 17 Sept 1963, Brucher, J. R., 3658271, SM2, USN, VA since 0745 18 Sept 1963

JCR SFC

APPROVED:

[Signature] U.S.N. COMMANDING

EXAMINED:

[Signature] U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

*Accolade (ATA 181)**Monday 23 Sept*

(Day)

(Date)

(Month)

19*63*

0800-1200 Measured as before. 0901 King, William T. 492.2494, FH, 130, was released from confinement and restored to duty. Following completion of the period of confinement adjudged by sentence of Captain's court. 1000 Made daily inspection of magazines, conditions normal.

John M. Nolan, Jr. Ensign U.S.N.R.

1200-1600 Measured as before.

John M. Nolan, Jr. Ensign U.S.N.R.

1600-2000 Measured as before. 1630 Material Condition up to set.

John M. Nolan, Jr. Ensign U.S.N.R.

2000-2400 Measured as before.

John M. Nolan, Jr. Ensign U.S.N.R.

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVPERS 720 (Rev. 4-56)

USS Accolite (ATA-81) ZONE DESCRIPTION 75 DATE Tuesday 24 Sept., 19 63
(Day) (Date) (Month)
AT/PASSAGE FROM Pier #1, South, Naval Base TO Phil. Is.

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	020	4	10	Clu	30.48	56	54	-	-	-			
02	020	5	10	Clu	30.48	56	54	-	-	-			
03	000	6	10	Clu	30.48	55	53	-	-	-			
04	020	6	10	Clu	30.48	54	52	-	-	-			
05	010	6	10	Clu	30.48	54	52	-	-	-			
06	000	6	10	Clu	30.46	54	51	-	-	-			
07	000	8	10	Clu	30.50	52	50	-	-	-			
08	030	5	10	Clu	30.52	53	53	-	-	-			
09	050	10	10	Clu	30.54	55	53	-	-	-			
10	050	12	10	Clu	30.56	57	55	-	-	-			
11	100	12	10	Clu	30.56	57	55	-	-	-			
12	100	10	10	Clu	30.54	57	55	-	-	-			
13	210	6	10	Clu	30.56	64	60	-	-	-			
14	220	4	10	Clu	30.50	69	65	-	-	-			
15	200	6	10	Clu	30.48	70	66	-	-	-			
16	000	6	10	Clu	30.48	70	66	-	-	-			
17	-	-	10	H	30.47	71	67	-	-	-			
18	-	-	10	H	30.45	63	59	-	-	-			
19	-	-	10	H	30.44	62	59	-	-	-			
20	-	-	10	Clu	30.44	62	59	-	-	-			
21	-	-	10	Clu	30.44	60	58	-	-	-			
22	-	-	10	Clu	30.44	57	56	-	-	-			
23	-	-	10	Clu	30.44	54	53	-	-	-			
24	035	2	10	Clu	30.44	53	53	-	-	-			

POSITION ZONE TIME

0800

L _____ BY _____

λ _____ BY _____

1200

L _____ BY _____

λ _____ BY _____

2000

L _____ BY _____

λ _____ BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

30

0000-0400 moved port side to pier #1 South Naval Base, Phila., Pa. with standard mooring lines doubled and extra bridle and 1 aft. Receiving miscellaneous services from the pier. Ships present include various units of the Atlantic fleet, local yard and harbor craft. Material Condition code is set. SOPH is CC. U.S.S. Guadalcanal (LPH)

John M. Nolan, Jr. Esq. U.S.M.R.

0400-0800 7700000 as before. 0755 Mustard the crew at
Quanton absentees, Petrie, R. B., 4912340, FN, USN, VA since
0300 17 Sept 1963, Lucker, J. R., 365-8271, SM2, USN, VA since 0745
18 Sept 1963

John M. Nolan, Jr. Esq. U.S.M.R.

APPROVED:

PROVED:  U.S.N. COMMANDING

EXAMINED:

W. B. Lorange U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (AT-181)

Tuesday 21 Sept

(Day)

(Date)

(Month)

19*63*

*0800-1200 Meared as before. 1000 Made daily inspection of
magazines, condition normal*

DE Brown ENC

1200-1600 Meared as before.

DE Brown ENC

1600-2000 Meared as before. 1630 Material condition up to set.

DE Brown ENC

2000-2400 Meared as before.

DE Brown ENC

APPROVED:

[Signature]

U.S.N.

COMMANDING

EXAMINED:

[Signature]

U.S.N.

NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Accafek (AT-181)

ZONE DESCRIPTION

75

DATE

Wednesday 25 Sept. 1963

AT/PASSAGE FROM

Naval Base, Phila. Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	035	2	10	Clu	30.44	50	49	—	—	—			
02	040	1	10	Clu	30.44	52	52	—	—	—			
03	040	2	10	Clu	30.44	52	51	—	—	—			
04	040	3	10	Clu	30.44	52	52	—	—	—			
05	040	3	10	Clu	30.44	53	53	—	—	—			
06	040	2	10	Clu	30.44	53	53	—	—	—			
07	—	—	10	Clu	30.44	53	53	—	—	—			
08	—	—	1	F	30.44	54	52	5	1600	ST			
09	—	—	2	F	30.45	54	52	5	1600	ST			
10	—	—	2	F	30.45	55	52	5	1600	ST			
11	—	—	5	H	30.44	63	60	—	—	—			
12	—	—	8	Clu	30.44	63	60	—	—	—			
13	—	—	8	Clu	30.44	68	65	—	—	—			
14	—	—	8	Clu	30.44	70	65	—	—	—			
15	—	—	8	scf	30.44	75	70	2	20,000	C1			
16	—	—	10	scf	30.30	72	67	3	20,000	C1			
17	180	2	10	scf	30.29	70	65	3	20,000	C1			
18	185	4	10	scf	30.28	68	63	4	20,000	C1			
19	185	4	10	scf	30.28	65	62	4	20,000	C1			
20	185	4	10	Clu	30.30	60	59	—	—	—			
21	185	2	10	Clu	30.31	60	58	—	—	—			
22	185	4	10	Clu	30.31	57	56	—	—	—			
23	185	4	10	Clu	30.31	56	56	—	—	—			
24	185	3	10	Clu	30.31	55	55	—	—	—			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(Date)
TO	(Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

REMARKS

0000-0400 Moved port side to pass #1 South, Naval Base, Phila. Pa. with standard mooring lines doubled and extra bridle and 1/2 ft. Recovering miscellaneous debris from the pier. Ships present include various units of the Atlantic Fleet local yard and district craft. Material condition of the pier is sat. SOPA is CO USS Quiddland (LST-77).

DE Brown ENC

0400-0800 4/1000 as before. 0755 Mustard the crew at quarter counter, Petrie, LST 49123 40, FN USN, VA since 1300 17 Sept 1963, Tucker, J.R., 365 82 71, SM2, USN, VA since 0745 18 Sept 1963.

DE Brown ENC

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accolub (ATA 181) Wednesday 25 Sept 63
(Day) (Date) (Month) 19*0800-1200 Moored as before. 1000 Make daily inspection of
magazines, condition normal.**AG Lorange CWO USN**1200-1600 Moored as before.**AG Lorange CWO USN**1600-2000 Moored as before. 1630 Material condition yake set.**AG Lorange CWO USN**2000-2400 Moored as before.**AG Lorange CWO USN*

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Accokeek (ATA-81)

ZONE DESCRIPTION

+5

DATE

Thursday 16 Sept

, 19

63

AT/PASSAGE FROM

Fier #1 South Naval Base

Phila., Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	055	2	10	Clu	30.30	55	54	—	—	—			
02	050	2	10	Clu	30.28	53	54	—	—	—			
03	050	1	10	Clu	30.28	53	54	—	—	—			
04	185	1	10	Clu	30.26	53	54	—	—	—			
05	185	1	2	F	30.26	53	53	—	—	—			
06	185	1	.5	F	30.26	54	55	—	—	—			
07	185	1	.5	F	30.26	55	55	—	—	—			
08	190	1	.5	F	30.26	55	55	—	—	—			
09	190	2	5	set	30.25	56	55	4	1600	cu			
10	250	2	6	set	30.24	59	57	4	1600	cu			
11	250	2	8	set	30.22	64	63	4	1600	cu			
12	180	2	8	set	30.20	68	67	4	1600	cu			
13	170	2	9	set	30.18	72	71	4	1600	cu			
14	170	2	10	set	30.16	76	76	2	6500	As			
15	180	3	10	set	30.12	79	76	2	6500	As			
16	180	2	10	set	30.09	81	78	2	6500	As			
17	180	2	10	set	30.09	80	76	2	6500	As			
18	180	3	10	set	30.08	80	76	1	6500	As			
19	180	3	10	set	30.07	69	66	1	6500	As			
20	185	3	10	set	30.07	69	66	2	6500	As			
21	185	3	10	Clu	30.06	63	62	—	—	—			
22	185	3	10	Clu	30.06	63	62	—	—	—			
23	180	3	10	Clu	30.06	61	61	—	—	—			
24	180	2	10	Clu	30.04	62	61	—	—	—			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0000-0400 Moved port side to pier #1 South Naval Base, Phila., Pa. with standard mooring lines doubled and extra bridle lead 50 ft. Recovering miscellaneous supplies from the pier ships present include various units of the Atlantic Fleet local yard and harbor craft. Material condition taken is at 1500H in CO 1st Submarine (LPH7)

W.D. Lorange CWO USN

0400-0800 Manned by 0755 Mustered the crew at quarters, Absentee Vertrie, R. 491 2349 FN USN, VA since 1300 17 Sept 1963, Bucher, J. R., 365 82 91, SM2 USN, VA since 0745 18 Sept 1963

W.D. Lorange CWO USN

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Essex (ATA 181)

Thursday 16 September 63
(Day) (Date) (Month) 1963

0600-1200 Measured as before. 1000 Made daily inspection of magazines. Conditions normal.

W. L. Davenport, CMCS, USN

1200-1600 Measured as before.

W. L. Davenport, CMCS, USN


1600-2000 Measured as before. 1630 Material Condition up to 1st.

W. L. Davenport, CMCS, USN

2000-2400 Measured as before.

W. L. Davenport, CMCS, USN

APPROVED:



U.S.N. COMMANDING

EXAMINED:



U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Academy (ATA 181)

ZONE DESCRIPTION

75

DATE

Friday 27 September 1963

AT/PASSAGE FROM

Pier #1 South, Naval Base, Philadelphia, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	180	4	10	Cl	30.03	57	59	-	-	-			
02	190	4	10	Cl	30.02	60	60	-	-	-			
03	190	4	10	Cl	30.00	60	60	-	-	-			
04	190	5	10	Cl	30.00	60	60	-	-	-			
05	190	3	10	Cl	30.00	61	61	-	-	-			
06	190	3	10	Cl	29.98	60	60	-	-	-			
07	190	3	7	Cl	29.97	61	61	-	-	-			
08	180	3	10	Cl	29.98	63	61	-	-	-			
09	220	4	10	Cl	29.97	64	62	-	-	-			
10	220	4	10	Cl	29.98	68	65	-	-	-			
11	270	4	10	Cl	29.94	71	69	-	-	-			
12	270	4	10	Cl	29.91	74	70	-	-	-			
13	270	4	10	Cl	29.89	77	72	-	-	-			
14	260	3	10	Sc	29.84	82	77	2	1600	Cl			
15	260	1	10	Sc	29.83	84	79	3	1600	Cl			
16	125	2	10	Sc	29.80	85	83	2	1600	Cl			
17	125	5	10	Sc	29.81	81	75	2	1600	Cl			
18	160	7	10	Cl	29.78	77	73	-	-	-			
19	165	8	10	Cl	29.78	74	73	-	-	-			
20	180	9	10	Cl	29.76	71	67	-	-	-			
21	200	4	10	Cl	29.76	70	67	-	-	-			
22	200	4	10	Cl	29.76	70	67	-	-	-			
23	210	4	10	Cl	29.74	70	67	-	-	-			
24	100	5	10	Cl	29.74	70	67	-	-	-			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(2T) (Date)
TO	(2T) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

REMARKS

0000-0400 Moved port side to pier #1 South, Naval Base, Philadelphia, Pa. with standard sweeping line hauled and extra beach fuel & aft. Recovering miscellaneous services from the pier. Ship's report include various units of the Atlantic Fleet local yard & district craft. Material condition report is set. SOTA in CO. U.S. Naval Base, Philadelphia (VA 7)

W. L. Sawyers, OMCs, USA

0400-0800 Moved on deck. 0855 Mustered the crew at quarters, assembled, Petrie, R. D., 491 23 40 FN, USA, VA since 1300 17 Sept 1963. Pucher, J. H., 365 82 71, SM, USA, VA since 0745 18 Sept 1963

W. L. Sawyers, OMCs, USA

APPROVED

[Signature]

U.S.N. COMMANDING

EXAMINED

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Accokeek (ATA 181)

Friday 27 September 63
(Day) (Date) (Month) 19

0800-1200 Worked as before. 1000 Made daily inspection of magazines, conditions normal. Made weekly test of flooding and sprinkling system, test satisfactory.

J. H. Hingee, CWO

1200-1600 Worked as before.

J. H. Hingee, CWO

1600-2000 Worked as before. 1630 Material condition yoke set.

J. H. Hingee, CWO

2000-2400 Worked as before.

J. H. Hingee, CWO

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Accapoke (ATA-81)

ZONE DESCRIPTION

+5

DATE

Saturday 28 September

19

63

AT/PASSAGE FROM

Pier #1 South, Naval Base, Phila., Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	100	5	10	Cl	29.74	67	64	—	—	—			
02	100	5	10	Cl	29.74	64	63	—	—	—			
03	100	5	10	Cl	29.74	64	63	—	—	—			
04	100	5	10	Cl	29.74	65	64	—	—	—			
05	100	5	10	Cl	29.74	65	64	—	—	—			
06	100	5	10	Cl	29.74	65	64	—	—	—			
07	100	5	10	Cl	29.76	61	60	—	—	—			
08	065	4	8	Sc	29.78	63	62	4	20,000	Cl			
09	055	4	8	Sc	29.78	65	64	4	20,000	Cl			
10	055	4	8	Sc	29.81	67	66	4	20,000	Cl			
11	055	3	10	Sc	29.80	72	71	4	20,000	Cl			
12	180	2	9	Sc	29.80	75	72	4	20,000	Cl			
13	180	2	9	Sc	29.78	77	73	4	20,000	Cl			
14	185	3	9	Sc	29.76	80	75	5	20,000	Cl			
15	185	5	9	Sc	29.76	80	74	4	20,000	Cl			
16	185	5	7	OVC	29.76	79	76	10	20,000	Cl			
17	185	5	5	OVC	29.76	77	77	10	20,000	Cl			
18	185	2	5	OVC	29.76	76	76	10	20,000	Cl			
19	—	—	5	OVC	29.76	75	75	10	20,000	Cl			
20	100	6	10	OVC	29.77	72	72	10	20,000	Cl			
21	170	5	10	OVC	29.78	71	69	10	20,000	Cl			
22	175	5	10	OVC	29.78	70	68	10	20,000	Cl			
23	175	4	10	OVC	29.76	69	67	10	20,000	Cl			
24	175	4	10	OVC	29.74	69	67	10	20,000	Cl			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400*5*

REMARKS

0000-0400 Moved port side to pier #1 South, Naval Base, Phila., Pa. with standard mooring lines doubled and with 6 inch line 5 ft. securing miscellaneous services from the pier. Ships present include various units by the Atlantic fleet local yard and district craft. Material condition up to it. 20 PA 12 CO. 2/1/63. Guadalcanal (LST) 0320 Tucker J.R., 365 1271, 5412. USN returned aboard after being VA since 0745 18 Sept 1963.

J. Volinger, CWO

0400-0800 Moved as before 0755 Mustard the crew on station, absentees Petrie, R.B., 491 23 40, FN, USN, VA since 1300 17 Sept 1963.

APPROVED

[Signature]

U.S.N. COMMANDING

EXAMINED

J. Volinger, CWO
A.G. Korangawa

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Academy (AT-4181)

Saturday 28 Sept. 63
(Day) (Date) (Month)

0800-1200 Measured as before. 1000 Made daily inspection of magazines, conditions normal.

-E Kins SEE

1200-1600 Measured as before.

F E Kins SEE

1600-2000 Measured as before. 1630 Material condition yoke set.

F E Kins SEE

2000-2400 Measured as before.

F E Kins SEE

APPROVED:

[Signature]
U.S.N. COMMANDING

EXAMINED:

[Signature]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-69075

FOR OFFICIAL USE ONLY

NAVY PERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS

Accatop (ATAIR)

ZONE DESCRIPTION

4.5

DATE

Sunday 29 Sept. 1963

AT/PASSAGE FROM

*Pier #1 South Naval Base, to**Phila., Pa.*

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES		POSITION	ZONE	TIME
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)			
01	000	6	10	Clu	29.74	67	64	—	—	—						
02	015	7	10	Clu	29.74	65	64	—	—	—						
03	010	7	10	Clu	29.72	64	64	—	—	—						
04	010	8	10	R	29.70	65	65	10	1600	ST						
05	015	5	10	R	29.64	65	65	10	1600	ST						
06	015	6	10	R	29.59	64	63	10	1600	ST						
07	020	6	10	R	29.56	63	62	10	1600	ST						
08	020	5	5	R	29.50	62	62	10	1600	ST						
09	100	5	5	R	29.45	64	64	10	1600	ST						
10	180	5	3	R	29.39	66	66	10	1600	ST						
11	180	20	6	OVC	29.36	70	70	10	1600	ST						
12	180	30	5	R	29.33	67	67	10	1600	ST						
13	090	10	5	OVC	29.32	67	67	10	1600	ST						
14	180	10	5	OVC	29.32	68	68	10	1600	ST						
15	000	15	5	OVC	29.34	68	66	10	1600	ST						
16	353	12	8	OVC	29.40	66	64	10	1600	ST						
17	353	12	8	RW	29.42	68	67	6	1600	ST						
18	340	8	10	OVC	29.45	68	68	10	1600	ST						
19	340	2	10	scT	29.50	67	67	2	1600	ST						
20	180	2	10	Clu	29.50	66	63	—	—	—						
21	185	2	10	Clu	29.52	63	61	—	—	—						
22	185	2	10	scT	29.55	63	62	4	1600	CU						
23	185	3	10	scT	29.56	64	62	4	1600	CU						
24	000	5	10	BKN	29.62	64	60	7	1600	CU						

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400
5

REMARKS

0000-0400 Manned port side to pier #1 South Naval Base, Phila., Pa with standard mooring lines doubled & extra bridle used & aft receiving miscellaneous services from the pier. Ships present include various units of the Atlantic Fleet local yard and district Craft. Material condition up to date. 50th in Co. USS Guadalcanal (LST-7)

FC Rice SFC

0400-0800 Manned as before.

FC Rice SFC

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

212. Lorange

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

Accabuk (ATA-181) Sunday 29 Sept 63
(Day) (Date) (Month) 1963

*0800-1200 Manned as before. 1000 Made daily inspection of
magazines, conditions normal.*

J. J. Kohut
LTJG, USN.

*1200-1600 Manned as before. 1200 Mustered the crew on station,
absentees: Petrie, P. H., 491 23 40, FM, USN, VA since 1300 17
Sept. 1963*

J. J. Kohut
LTJG, USN.

1600-2000 Manned as before. 1630 Material condition check set.

J. J. Kohut
LTJG, USN.

2000-2400 Manned as before.

J. J. Kohut
LTJG, USN.

APPROVED:

EXAMINED:

[Signature]
U.S.N. COMMANDING

[Signature]
U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-69075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Academy (ATA-1) ZONE DESCRIPTION 15 DATE Monday 30 Sept 63
 AT/PASSAGE FROM Pier #1 South, Naval Base, Phila, Pa.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	000	10	10	ovc	29.68	64	59	10	1600	cu			
02	000	10	10	ovc	29.71	62	58	10	1600	cu			
03	010	10	10	ovc	29.71	60	55	8	1600	cu			
04	005	10	10	ovc	29.75	59	55	6	1600	cu			
05	000	10	10	scT	29.80	55	52	2	1600	cu			
06	000	10	10	scT	29.82	52	50	1	1600	cu			
07	020	10	10	scT	29.87	50	52	2	1600	cu			
08	020	10	10	scT	29.87	50	52	2	1600	cu			
09	020	10	10	CLR	29.93	53	52	-	-	-			
10	020	10	10	CLR	29.95	56	55	-	-	-			
11	310	10	10	CLR	29.97	61	58	-	-	-			
12	260	8	10	CLR	29.96	61	58	-	-	-			
13	260	8	10	CLR	29.96	62	59	-	-	-	67		
14	160	5	10	CLR	29.98	65	62	-	-	-	66		
15	300	5	10	CLR	29.99	66	63	-	-	-	66		
16	300	5	10	CLR	30.00	70	67	-	-	-	66	300	1
17	320	5	10	CLR	30.02	73	70	-	-	-	66	320	1
18	340	4	10	CLR	30.04	70	67	-	-	-	66	330	1
19	340	4	10	scT	30.05	69	65	1	1600	sc	66	330	1
20	390	6	10	CLR	30.10	66	63	-	-	-	66	320	1
21	270	10	10	CLR	30.13	65	62	-	-	-	66	320	1
22	270	10	10	CLR	30.14	64	61	-	-	-	66	320	1
23	270	10	10	CLR	30.16	64	60	-	-	-	66	320	1
24	300	10	10	CLR	30.17	64	60	-	-	-	66	320	1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L	38° 05' N	BY 2
λ	74° 42' W	BY 2

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
181.9

FUEL CONSUMED 0000-2400
1213

REMARKS

0000-0400 Moved port side to pier #1 South, Naval Base Phila, Pa. with standard morning lines doubled & extra 6 inch fud 8 ft. Receiving miscellaneous services from the pier. Ships present include various units of the Atlantic Fleet, local yard and district craft. Operational condition of the is ok. Set Pt is 00455. Soudland (CLR)

J. J. Kohut
 LTJG, USN.

0400-0800 Moved as before. 0755 Mustered the crew at quarters absentees; Petrie, R. B. #912340 FN, USN, VA since 1300 17 Sept 63

J. J. Kohut
 LTJG, USN.

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

ADDITIONAL REMARKS

UNITED STATES SHIP

Accabuk (ATA 181)

Monday 30 Sept 63

0800-1200 Manned as before. 0800 Commenced making preparations for getting underway. 0845 Stationed the special sea and anchor details 0913 Underway, commencing to clear the pier, surge, Achine Pass, Tedavine Wharf Va., COD commencing. Captain on the bridge, in accordance with Com's order 19-63. 0915 Entered West Horseshoe Range commencing steering various courses at various speeds conforming to channels & ranges of the Delaware River. 0925 Manned the special sea detail at the regular underway watch. 1005 Entered Chester Range. 1000 made ship's inspection of surroundings, conditions normal. 1017 Entered Marcus Hook Range. 1041 Entered Delaware Range. 1057 Entered Cheny Island Range. 1114 Passed beneath the Delaware Memorial Bridge. 1118 Entered Rappahannock Point Range. 1135 Entered Freshwater Range. 1142 Entered New Castle Range.

J. J. Kohut
LTJG, USN

1200-1600 Steaming as before. 1218 Entered Baker Range. 1225 Entered Lister Range. 1341 Entered Cross Ledges Range. 1356 Entered Milk House Range. 1428 Entered Prudhoe Range.

A. L. Lorange CWO USN

1600-2000 Steaming as before. 1554 With buoy #4 bearing 069°, range 700 yds, took departure for Norfolk Va and set course 135°, speed 12.1 knots. 1601 With buoy "D" bearing 254°, range 1400 yds entered International system. 1630 Material Condition up to 1717 & 156° with buoy "B" bearing 247.5°, distance 1.3 miles. 1748 & 177° sighted Delaware Battleship bearing 110°, distance 8.5 miles. 1959 With buoy 245 bearing 270°, distance 1.1 miles & 218°

W. L. Davenport, OMC5, USN

2000-2400 Steaming as before.

John M. Nolan, Jr. Ensign, USNR

APPROVED:

EXAMINED:

[Signature]

U.S.N. COMMANDING

[Signature]

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH